

List of plants, plant products and other objects, to be introduced into,
or moved within protected zones and corresponding special requirements for protected zones
- *without prejudice to prohibition of imports* -

The phytosanitary certificate shall specify under the heading 'Additional Declaration' which specific requirement is fulfilled,
whenever allows for several different options for such requirements.

That specification shall include the full wording of the relevant requirement!

Others: Plants, parts of plants, seed and others

genus/ species	protected zones	Citation of Commission Implementing Regulation (EU) 2019/2072, Annex X or EU-Decision	Text of the citation Commission Implementing Regulation (EU) 2019/2072, Annex X or EU-Decision	harmful organism
<p>Plants of <i>Allium porrum</i> L., <i>Apium</i> L., <i>Beta</i> L., other than those mentioned in Regulation (EU) 2016/2031, Annex X 5. and those intended for animal fodder, <i>Brassica napus</i> L., <i>Brassica rapa</i> L., <i>Daucus</i> L., other than plants for planting CN-Codes ex 0703 90 00 0704 10 90 0704 90 90 0706 10 00 0706 90 10 ex 0706 90 90</p>	<p>(a) France (Brittany) (b) Finland (c) Ireland (d) Portugal (Azores) (e) United Kingdom (Northern Ireland)</p>	<p>Annex X 4. (a) or (b)</p>	<p>(a) The consignment or lot does not contain more than 1 % by weight of soil, or (b) official statement that the plants are intended for processing at premises with officially approved waste disposal facilities which ensures that there is no risk of spreading of BNYVV.</p>	<p>BNYVV</p>
<p><i>Beta vulgaris</i> L., intended for industrial processing</p>	<p>(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern</p>	<p>Annex X 5. (a) or (b)</p>	<p>The plants (a) are transported in such a manner as to ensure that there is no risk of spreading BNYVV, and are intended to be delivered to a processing plant with</p>	<p>BNYVV</p>

<p>CN-Codes ex 1212 91 80 ex 1214 90 10</p>	<p>Ireland)</p>		<p>officially approved waste disposal facilities, which ensures that there is no risk of spreading BNYVV, or (b) have been grown in an area where BNYVV is known not to occur.</p>	
<p><i>Beta vulgaris</i> L., seeds and fodder beet seeds CN-Codes 1209 10 00 1209 29 60 ex 1209 29 80 1209 91 30 ex 1209 91 80</p>	<p>(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern Ireland)</p>	<p>Annex X 33. (a) or (b) or (c)</p>	<p>The seed (a) of the categories ‘basic seed’ and ‘certified seed’ satisfies the conditions laid down in Annex I.B.3 to Directive 2002/54/EC; or (b) in the case of ‘seed not finally certified’, the seed satisfies the conditions laid down in Article 15(2) of Directive 2002/54/EC, and is intended for processing that will satisfy the conditions laid down in part B of Annex I to that Directive and delivered to a processing enterprise with officially approved controlled waste disposal, to prevent the spread of BNYVV; or (c) the seed has been produced from a crop grown in an area where BNYVV is known not to occur.</p>	<p>BNYVV</p>
<p><i>Beta vulgaris</i> L., vegetable seeds</p>	<p>(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern Ireland)</p>	<p>Annex X 34. (a) or (b) or (c)</p>	<p>(a) the processed seed contains no more than 0,5 % by weight of inert matter (in the case of pelleted seed this standard shall be met prior to pelleting); or (b) in the case of non-processed seed,</p>	<p>BNYVV</p>

<p>CN-Codes ex 1209 29 80 1209 91 30 ex 1209 91 80</p>			<p>the seed is officially packed in such a manner as to ensure that there is no risk of spread of BNYVV, and is intended for processing that will satisfy the conditions laid down in point a) and delivered to a processing enterprise with officially approved controlled waste disposal, to prevent the spread of BNYVV; or (c) the seed has been produced from a crop grown in an area where BNYVV is known not to occur.</p>	
<p>Castanea Mill., other than plants in tissue culture, fruit and seeds CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1211 90 86 ex 1404 90 00</p>	<p>(a) Ireland (b) Northern Ireland</p>	<p>Annex X 29. (a) or (b)</p>	<p>The plants have been grown throughout their life (a) in places of production in countries where <i>Dryocosmus kuriphilus</i> Yasumatsu is known not to occur, or (b) in an area free from <i>Dryocosmus kuriphilus</i> Yasumatsu, established by the National Plant Protection Organisation in accordance with the relevant International Standards for Phytosanitary Measures.</p>	<p><i>Dryocosmus kuriphilus</i> Yasumatsu</p>

<p>Plants and parts of plants of <i>Eucalyptus</i> l'Herit, other than fruit and seeds CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0609 90 91 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00</p>	<p>(a) Greece (b) Portugal (Azores), other than the Isle Terceira</p>	<p>Annex X 19. (a) or (b)</p>	<p>The plants (a) are free from soil, and have been subjected to a treatment against <i>Gonipterus scutellatus</i> Gyll.; or (b) originate in areas known to be free from <i>Gonipterus scutellatus</i> Gyll.</p>	<p><i>Gonipterus scutellatus</i> Gyll.</p>
<p>Plants, parts of plants and live pollen for pollination of: <i>Amelanchier</i> Med., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Photinia davidiana</i> (Dcne.) Cardot, <i>Pyracantha</i> Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L., other than fruit and seeds CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80</p>	<p>(a) Estonia (b) Spain (except the autonomous communities of Andalucía, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Comunidad autonoma de Catalunya); and the municipalities of Alborache and Turís</p>	<p>Annex X 9. (a) or (b) or (d)</p>	<p>The plants (a) originate in third countries recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. et al. by the respective National Plant Protection Organisation and officially notified to the Commission; or (b) the plants originate in pest free areas in the Union or third countries which have been established in relation to <i>Erwinia amylovora</i> (Burr.) Winsl. et al. in accordance with the relevant International Standard for Phytosanitary Measures and recognised as such by the respective National Plant Protection</p>	<p><i>Erwinia amylovora</i> (Burr.) Winsl. et al.</p>

<p>ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1211 90 86 ex 1212 99 95 ex 1404 90 00</p>	<p>in the province of Valencia and the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante (Comunidad Valenciana)) (c) France (Corsica) (d) Ireland (except Galway city) (e) Italy (Abruzzo, Apúlia, Basilicata, Calabria, Campania, Lazio, Liguria, Lombardy (except the provinces of Milan, Mantua, Sondrio and Varese, and the communes of Bovisio Masciago, Cesano Maderno, Desio, Limbiate, Nova Milanese and Varedo in Monza Brianza Province), Marche, Molise, Piedmont (except the communes of Busca, Centallo, Scarnafigi, Tarantasca and Villafalletto in the province of Cuneo), Sardinia, Sicily (except the municipalities of Cesarò (Messina Province), Maniace, Bronte, Adrano (Catania Province) and Centuripe, Regalbuto and Troina (Enna Province)), Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and Vescovana in the</p>		<p>Organisation and officially notified to the Commission; or (c) the plants originate in the Canton of Valais in Switzerland; or (d) the plants have been produced, or, if moved into a 'buffer zone', kept and maintained for a period of at least 7 months, including the period from 1 April to 31 October of the last complete cycle of vegetation, on a field: - (i) located at least 1 km inside the border of an officially designated 'buffer zone' of at least 50 km², where host plants are subject to an officially approved and supervised control regime established at the latest before the beginning of the complete cycle of vegetation, preceding the last complete cycle of vegetation, with the object of minimising the risk of (Burr.) Winsl. et al. being spread from the plants grown there. - (ii) which has been officially approved, as well as the 'buffer zone', before the beginning of the complete cycle of vegetation preceding the last complete cycle of vegetation, for the cultivation of plants under the requirements laid down in this point; - (iii) which, as well as the surrounding zone of a width of at least 500 m, has been found free from <i>Erwinia amylovora</i> (Burr.) Winsl. et al. since the</p>	
---	---	--	---	--

	<p>province of Padova and the area situated to the South of the motorway A4 in the province of Verona))</p> <p>(f) Latvia</p> <p>(g) Lithuania (except the municipalities of Babtai and Kėdainiai (region of Kaunas))</p> <p>(h) Slovenia (except the regions of Gorenjska, Koroška, Maribor and Notranjska, and the communes of Lendava and Renče-Vogrsko (south of the motorway H4) and Velika Polana, and the settlements Fužina, Gabrovčec, Glogovica, Gorenja vas, Gradiček, Grintovec, Ivančna Gorica, Krka, Krška vas, Male Lese, Malo Črnelo, Malo Globoko, Marinča vas, Mleščevo, Mrzlo Polje, Muljava, Podbukovje, Potok pri Muljavi, Šentvid pri Stični, Škrjanče, Trebnja Gorica, Velike Lese, Veliko Črnelo, Veliko Globoko, Vir pri Stični, Vrhpolje pri Šentvidu, Zagradec and Znojile pri Krki in the commune Ivančna Gorica)</p> <p>(i) Slovakia (except the county of Dunajská Streda, Hronovce and Hronské Kľačany (Levice County), Dvory nad Žitavou (Nové Zámky County), Málíneec</p>		<p>beginning of the last complete cycle of vegetation, at official inspection carried out at least:</p> <ul style="list-style-type: none"> ○ twice in the field at the most appropriate time, i.e. once in the period from June to August and once from August to November; <p>and</p> <ul style="list-style-type: none"> ○ once in the said surrounding zone at the most appropriate time, i.e. from August to November, <p>and</p> <p>- (iv) from which plants were officially tested for latent infections in accordance with an appropriate laboratory method on samples officially drawn at the most appropriate period.</p>	
--	--	--	---	--

	(Poltár County), Hrhov (Rožňava County), Veľké Ripňany (Topoľčany County), Kazimír, Luhyňa, Malý Horeš, Svätušie and Zátin (Trebišov County)) (j) Finland			
Tubers of <i>Solanum tuberosum</i> L., other than those mentioned in Regulation (EU) 2016/2031, Annex X 6. CN-Codes ex 0701 90 10 ex 0701 90 50 ex 0701 90 90	(a) France (Brittany) (b) Finland (c) Ireland (d) Portugal (Azores) (e) United Kingdom (Northern Ireland)	Annex X 7.(a) or (b)	(a) The consignment or the lot shall not contain more than 1 % by weight of soil; or (b) official statement that the tubers are intended for processing at premises with officially approved waste disposal facilities which ensures that there is no risk of spreading of BNYVV.	BNYVV
Cut flowers, leafy vegetables of <i>Apium graveolens</i> L. and <i>Ocimum</i> L. CN-Codes 0603 12 00 0603 14 00 ex 0603 19 70 0709 40 00 ex 0709 99 90	(a) Ireland (b) United Kingdom (Northern Ireland)';	Annex X 31.1 (a) or (b)	Official statement that: (a)the plants originate in an area known to be free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), or (b)immediately prior to their marketing, the plants have been officially inspected and found free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess).	<i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess),
Wood of conifers (<i>Pinopsida</i>)	(a) Greece (b) Ireland	Annex X 39. (a) or (b) or (c)	(a) The wood is bark-free; or	<i>Dendroctonus micans</i> Kugelan

<p>CN-Codes 4401 11 00 4401 21 00 ex 4401 41 00 ex 4401 49 00 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00</p>	<p>(c) Northern Ireland</p>		<p>(b) official statement that the wood originates in areas known to be free from <i>Dendroctonus micans</i> Kugelan; or (c) a mark ‘Kiln-dried’, ‘KD’ or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln- drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule.</p>	
---	-----------------------------	--	---	--

<p>Wood of conifers (Pinopsida) CN-Codes 4401 11 00 4401 21 00 ex 4401 41 00 ex 4401 49 00 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 13 00 4407 14 00 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00</p>	<p>(a) Greece (b) Ireland (c) Northern Ireland</p>	<p>Annex X 40. (a) or (b) or (c)</p>	<p>(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips duplicatus</i> Sahlbergh; or (c) a mark ‘Kiln-dried’, ‘KD’ or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.</p>	<p><i>Ips duplicatus</i> Sahlbergh</p>
---	--	--	---	---

ex 9406 10 00				
Wood of conifers (Pinopsida) CN-Codes 4401 11 00 4401 21 00 ex 4401 41 00 ex 4401 49 00 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 13 00 4407 14 00 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91	(a) Ireland (b) Northern Ireland	Annex X 41. (a) or (b) or (c)	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips typographus</i> Heer; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	<i>Ips typographus</i> Heer

4408 10 98 ex 4416 00 00 ex 9406 10 00				
Wood of conifers (Pinopsida)) CN-Codes 4401 11 00 4401 21 00 4401 41 00 4401 90 00 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 13 00 4407 14 00 4407 19 10 4407 19 20 4407 19 90	(a) Greece (b) Ireland (c) Northern Ireland	Annex X 42. (a) or (b) or (c)	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips amitinus</i> Eichhof; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	<i>Ips amitinus</i> Eichhof

4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00				
Wood of conifers (Pinopsida) CN-Codes 4401 11 00 4401 21 00 4401 49 00 4401 41 00 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 13 00 4407 14 00 4407 19 10	(a) Greece (b) Ireland (c) Northern Ireland	Annex X 43. (a) or (b) or (c)	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips cembrae</i> Heer; or (c) a mark ‘Kiln-dried’, ‘KD’ or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln- drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule.	<i>Ips cembrae</i> Heer

4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00				
Wood of conifers (Pinopsida) CN-Codes 4401 11 00 4401 21 00 4401 41 00 4401 49 00 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 13 00	(a) Cyprus (b) Ireland (c) Northern Ireland	Annex X 44. (a) or (b) or (c)	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips sexdentatus</i> Börner; or (c) a mark ‘Kiln-dried’, ‘KD’ or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	<i>Ips sexdentatus</i> Börner

4407 14 00 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00				
Wood of <i>Castanea</i> Mill. CN-Codes 4401 12 00 4401 22 90 4401 41 00 4401 49 00 ex 4403 12 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4416 00 00 ex 9406 10 00	(a) Czech Republic (b) Ireland (c) Sweden (d) Northern Ireland	Annex X 45. (a) or (b) or (c)	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr.; or (c) a mark 'Kiln-dried' or 'KD' or another internationally recognised mark put on the wood or on any wrapping in accordance with current usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.	<i>Cryphonectria parasitica</i> (Murrill.) Barr.
Isolated Bark of conifers (Pinopsida) CN-Codes ex 1404 90 00	(a) Greece (b) Ireland (c) Northern Ireland	Annex X 46. (a) or (b)	The consignment (a) has been subjected to fumigation or other appropriate treatments against bark beetles;	<i>Dendroctonus micans</i> Kugelan

4401 49 00			or (b) originates in areas known to be free from <i>Dendroctonus micans</i> Kugelan.	
Isolated Bark of conifers (Pinopsida) CN-Codes ex 1404 90 00 ex 4401 49 00	(a) Greece (b) Ireland (c) Northern Ireland	Annex X 47. (a) or (b)	The consignment (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips amitinus</i> Eichhof.	<i>Ips amitinus</i> Eichhof
Isolated Bark of conifers (Pinales) CN-Codes ex 1404 90 00 ex 4401 49 00	(a) Greece (b) Ireland (c) Northern Ireland	Annex X 48. (a) or (b)	The consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips cembraes</i> Heer.	<i>Ips cembraes</i> Heer
Isolated Bark of conifers (Pinopsida) CN-Codes ex 1404 90 00 ex 4401 49 00	(a) Greece (b) Ireland (c) Northern Ireland	Annex X 49. (a) or (b)	The consignment (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips duplicatus</i> Sahlberg.	<i>Ips duplicatus</i> Sahlberg
Isolated Bark of conifers (Pinopsida) CN-Codes ex 1404 90 00 ex 4401 49 00	(a) Cyprus (b) Ireland (c) Northern Ireland	Annex X 50. (a) or (b)	The consignment (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips sexdentatus</i> Börner.	<i>Ips sexdentatus</i> Börner

<p>Isolated Bark of conifers (Pinopsida) CN-Codes ex 1404 90 00 ex 4401 49 00</p>	<p>(a) Ireland (b) Northern Ireland</p>	<p>Annex X 51. (a) or (b)</p>	<p>The consignment (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips typographus</i> Heer.</p>	<p><i>Ips typographus</i> Heer</p>
<p>Isolated Bark of <i>Castanea Mill.</i> CN-Codes ex 1404 90 00 ex 4401 49 00</p>	<p>(a) Czech Republic (b) Ireland (c) Sweden (d) Northern Ireland</p>	<p>Annex X 52. (a) or (b)</p>	<p>The isolated bark (a) originates in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr.; or (b) has been subjected to an appropriate fumigation or other appropriate treatment against <i>Cryphonectria parasitica</i> (Murrill.) Barr. to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031. When fumigation is applied, the active ingredient, the minimum bark temperature, the rate (g/m³) and the exposure time (h) thereof are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>	<p><i>Cryphonectria parasitica</i> (Murrill.) Barr.</p>