

List of plants, plant products and other objects, to be introduced into,
or moved within protected zones and corresponding special requirements for protected zones
- *without prejudice to prohibition of imports* -

The phytosanitary certificate shall specify under the heading 'Additional Declaration' which specific requirement is fulfilled,
whenever allows for several different options for such requirements.

That specification shall include the full wording of the relevant requirement!

Plants, intended for planting

genus/ species	protected zones	Citation of Commission Implementing Regulation (EU) 2019/2072, Annex X or EU-Decision	Text of the citation Commission Implementing Regulation (EU) 2019/2072, Annex X or EU-Decision	harmful organism
<p>Plants of herbaceous species, intended for planting, other than bulbs, corms, plants of the family <i>Gramineae</i>, rhizomes, seeds and tubers</p> <p>CN-Codes: ex 0602 10 90 0602 90 20 ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00</p>	<p>(a) Ireland (b) United Kingdom (Northern Ireland)</p>	<p>Annex X 3.1 (a) or (b) or (c) or (d)</p>	<p>Official statement that: (a) the plants originate in an area known to be free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), or (b) no signs of <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to the movement from this place of production, or (c) immediately prior to the marketing, the plants have been officially inspected and found free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) and have been subjected to an</p>	<p><i>Liriomyza bryoniae</i>, <i>Liriomyza huidobrensis</i>, <i>Liriomyza trifolii</i></p>

<p>ex 0706 90 10 ex 0709 40 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33</p>			<p>appropriate treatment against <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), or (d) the plants originate from plant material which is free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess); are grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess); and are shipped in transparent containers under sterile conditions.</p>	
<p><i>Begonia</i> L., other than seeds, tubers, and corms, and <i>Ajuga</i> L., <i>Crossandra</i> Salisb., <i>Dipladenia</i> A.DC., <i>Hibiscus</i> L., <i>Mandevilla</i> Lindl. and <i>Nerium oleander</i> L., other than seeds</p> <p>CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46</p>	<p>(a) Ireland (b) Sweden (c) Northern Ireland</p>	<p>Annex X 14. (a) or (b) or (c) or (d)</p>	<p>The plants (a) originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations), or (b) no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed, including on plants, at the place of production on official inspections carried out at least once each three weeks during the nine weeks prior to marketing, or (c) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, the plants,</p>	<p><i>Bemisia tabaci</i> Genn. (European populations),</p>

<p>ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99</p>			<p>held or produced in this place of production, have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be carried out immediately prior to the above movement;</p> <p>or</p> <p>(d) for those plants for which there shall be evidence by their packing or their flower development or by other means that they are intended for direct sale to final consumers not involved in professional plant production, the plants have been officially inspected and found free from <i>Bemisia tabaci</i> Genn. (European populations) immediately prior to their movement.</p>	
<p><i>Beta vulgaris L., other than seeds</i></p>	<p>(a) Ireland (b) France (Brittany) (c) Portugal (Azores)</p>	<p>Annex X 8. (a) i or (a) ii, <u>if (a) ii</u>: the first or second indent</p>	<p>The plants (a) (i) have been officially individually tested and found free from BNYVV;</p>	<p>BNYVV</p>

<p>CN-Codes ex 0601 10 90 ex 0601 20 90 ex 0602 90 30 ex 0602 90 50</p>	<p>(d) Finland (e) United Kingdom (Northern Ireland)</p>		<p>or (ii) have been grown from seeds complying with the requirements under points 33 and 34 of this Annex and</p> <ul style="list-style-type: none"> - grown in areas where BNYVV is known not to occur, <p>or</p> <ul style="list-style-type: none"> - grown on land, or in growing media, officially tested by appropriate methods and found free from BNYVV, and - sampled, and the sample tested and found free from BNYVV; and <p>(b) the holding of the material of those plants have been notified by the respective organisation or research body.</p>	
<p>Castanea Mill.</p> <p>CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0802 41 00 ex 0802 42 00</p>	<p>(a) Czech Republic (b) Ireland (c) Sweden (d) Northern Ireland</p>	<p>Annex X 20. (a) or (b)</p>	<p>The plants have been grown throughout their life</p> <p>(a) in places of production in countries where <i>Cryphonectria parasitica</i> (Murrill) Barr is known not to occur;</p> <p>or</p> <p>(b) in an area free from <i>Cryphonectria parasitica</i> (Murrill) Barr, established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary measures.</p>	<p><i>Cryphonectria parasitica</i> (Murrill) Barr</p>

ex 1209 99 10 ex 1209 99 99				
<p><i>Cedrus Trew, Pinus L., other than seeds</i></p> <p>CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99</p>	<p>(a) Irland (b) Northern Ireland</p>	<p>Annex X 16. (a) or (b) or (c) or (d)</p>	<p>The plants (a) have been grown throughout their life in places of production in countries where <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller is not known to occur, or (b) the plants have been grown throughout their life in an area free from <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary Measures, or (c) the plants have been produced in nurseries which, including their vicinity, have been found free from <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller on the basis of official inspections and official surveys carried out at appropriate times, or (d) the plants have been grown throughout their life in a site with complete physical protection against the introduction of <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller and have been inspected at appropriate times and found to be free from <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller.</p>	<p><i>Thaumetopoea pityocampa</i> Denis & Schiffermüller</p>

<p><i>Euphorbia pulcherrima</i> Willd., <i>unrooted cuttings</i></p> <p>CN-Codes ex 0602 10 90</p>	<p>(a) Ireland (b) Sweden (c) Northern Ireland</p>	<p>Annex X 12. (a) or (b) or (c)</p>	<p>The unrooted cuttings (a) originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations), or (b) no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed at the place of production, including either on the cuttings or on the plants from which the cuttings are derived and held or produced in this place of production, on official inspections carried out at least each three weeks during the whole production period of these plants on this place of production, or (c) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, the cuttings and the plants from which the cuttings are derived and held or produced in this place of production have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this</p>	<p><i>Bemisia tabaci</i> Genn. (European populations)</p>
---	--	--	--	---

			place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be carried out immediately prior to the above movement.	
<p><i>Euphorbia pulcherrima</i> Willd., other than all of the following:</p> <ul style="list-style-type: none"> - seeds - unrooted cuttings for planting of <i>Euphorbia pulcherrima</i> Willd. <p>CN-Codes ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99</p>	(a) Ireland (b) Sweden (c) Northern Ireland	Annex X 13. (a) or (b) or (c) and (d)i or (d)ii or (d)iii or (e)	The plants (a) originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations), or (b) no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed, including on plants, at the place of production on official inspections carried out at least once each three weeks during the nine weeks prior to marketing, or (c) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, the plants held or produced in this place of production have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections	<i>Bemisia tabaci</i> Genn. (European populations)

			<p>carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be carried out immediately prior to the above movement,</p> <p>and</p> <p>(d) evidence is available that the plants have been produced from cuttings which:</p> <ul style="list-style-type: none">- (i) originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations), <p>or</p> <ul style="list-style-type: none">- (ii) have been grown at a place of production where no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed, including on plants, on official inspections carried out at least once each three weeks during the whole production period of these plants, <p>or</p> <ul style="list-style-type: none">- (iii) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, have been grown on plants held or produced in this place of production having undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as	
--	--	--	--	--

			<p>a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be carried out immediately prior to the above movement;</p> <p>or</p> <p>(e) for those plants for which there shall be evidence by their packing or their flower (or bract) development or by other means that they are intended for direct sale to final consumers not involved in professional plant production, the plants have been officially inspected and found free from <i>Bemisia tabaci</i> Genn. (European populations) prior to their movement.</p>	
<p>Palmae, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i> Mart., <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth, <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart.,</p>	<p>(a) Ireland (b) Malta (c) Northern Ireland</p>	<p>Annex X 30. (a) or (b) or (c)</p>	<p>The plants have been grown: (a) throughout their life in places of production in countries where <i>Paysandisia archon</i> (Burmeister) is known not to occur;</p> <p>or</p> <p>(b) throughout their life in an area free from <i>Paysandisia archon</i> (Burmeister), established by the National Plant Protection Organisation in accordance with the relevant International Standards</p>	<p><i>Paysandisia archon</i> (Burmeister)</p>

<p><i>Washingtonia</i> Raf.</p> <p>CN-Codes ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 99</p>			<p>for Phytosanitary Measures, or (c) during a period of at least two years prior to export or movement, in a place of production: - (i) which is registered and supervised by the National Plant Protection Organisation of the country of origin, and - (ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Paysandisia archon</i> (Burmeister), and - (iii) where, during three official inspections per year carried out at appropriate times, including immediately prior to movement from this place of production, no signs of <i>Paysandisia archon</i> (Burmeister) have been observed.</p>	
<p>Palmae, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: <i>Areca catechu</i> L., <i>Arenga pinnata</i> (Wurmb) Merr., <i>Bismarckia</i> Hildebr. & H. Wendl., <i>Borassus flabellifer</i> L., <i>Brahea armata</i> S. Watson, <i>Brahea edulis</i> H. Wendl., <i>Butia capitata</i> (Mart.) Becc., <i>Calamus merrillii</i> Becc., <i>Caryota</i></p>	<p>(a) Ireland (b) Portugal (Azores) (c) Northern Ireland</p>	<p>Annex X 31. (a) or (b) or (c)</p>	<p>The plants have been grown: (a) throughout their life in places of production in countries where <i>Rhynchophorus ferrugineus</i> (Olivier) is known not to occur, or (b) throughout their life in an area free from <i>Rhynchophorus ferrugineus</i> (Olivier), established by the National Plant Protection Organisation in accordance with the relevant International Standards for Phytosanitary Measures,</p>	<p><i>Rhynchophorus ferrugineus</i> (Olivier)</p>

<p><i>cumingii</i> Lodd. ex Mart., <i>Caryota maxima</i> Blume, <i>Chamaerops humilis</i> L., <i>Cocos nucifera</i> L., <i>Copernicia</i> Mart., <i>Corypha</i> <i>utan</i> Lam., <i>Elaeis guineensis</i> Jacq., <i>Howea forsteriana</i> Becc., <i>Jubea chilensis</i> (Molina) Baill., <i>Livistona</i> <i>australis</i> C. Martius, <i>Livistona decora</i> (W. Bull) Dowe, <i>Livistona rotundifolia</i> (Lam.) Mart., <i>Metroxylon</i> <i>sagu</i> Rottb., <i>Phoenix</i> <i>canariensis</i> Chabaud, <i>Phoenix dactylifera</i> L., <i>Phoenix reclinata</i> Jacq., <i>Phoenix roebelenii</i> O'Brien, <i>Phoenix sylvestris</i> (L.) Roxb., <i>Phoenix theophrasti</i> Greuter, <i>Pritchardia</i> Seem. & H. Wendl., <i>Ravenea rivularis</i> Jum. & H. Perrier, <i>Roystonea</i> <i>regia</i> (Kunth) O. F. Cook, <i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult. f., <i>Syagrus romanzoffiana</i> (Cham.) Glassman, <i>Trachycarpus fortunei</i> (Hook.) H. Wendl. and <i>Washingtonia</i> Raf.</p> <p>CN-Codes ex 0602 20 20 ex 0602 20 80</p>			<p>or (c) during a period of at least two years prior to export or movement, in a place of production: - (i) which is registered and supervised by the National Plant Protection Organ- isation of the country of origin, and - (ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Rhynchophorus ferrugineus</i> (Olivier), and - (iii) where during three official inspections per year carried out at appropriate times to detect the presence of that pest including immediately prior to movement from this place of production, no signs of <i>Rhynchophorus</i> <i>ferrugineus</i> (Olivier) have been observed.</p>	
--	--	--	---	--

ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 99				
<i>Prunus</i> L., other than seeds CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Northern Ireland	Annex X 11. (a) or (b) or (c) or (d)	The plants (a) have been grown throughout their life in places of production in countries where <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterinet al. is not known to occur, or (b) have been grown throughout their life in an area free from <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterinet al. established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, or (c) have been derived in direct line from mother plants which have shown no symptoms of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterinet al. during the last complete cycle of vegetation, and no symptoms of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterinet al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, or (d) for plants of <i>Prunus laurocerasus</i> L.	<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterinet al.

			and <i>Prunus lusitanica</i> L. for which there shall be evidence by their packing or by other means that they are intended for sale to final consumers not involved in professional plant production no symptoms of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin et al. have been observed on plants at the place of production since the beginning of the last complete growing season.	
<p><i>Quercus</i> L., other than seeds</p> <p>CN-Codes ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99</p>	(a) Czech Republic (b) Ireland (c) Sweden (d) Northern Ireland	Annex X 21. (a) or (b) or (c)	The plants (a) have been grown throughout their life in places of production in countries where <i>Cryphonectria parasitica</i> (Murrill) Barr is known not to occur; or (b) the plants have been grown throughout their life in an area free from <i>Cryphonectria parasitica</i> (Murrill) Barr, established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary measures; or (c) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the place production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.	<i>Cryphonectria parasitica</i> (Murrill) Barr
<p><i>Quercus</i> L., other than <i>Quercus suber</i> L., of a girth of at least 8 cm</p>	(a) Ireland (b) Northern Ireland	Annex X 22. (a) or (b) or (c)	The plants (a) have been grown throughout their life in places of production in countries	<i>Thaumetopoea processionea</i> L.

<p>measured at 1,2 m height from the root collar</p> <p>CN-Codes ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 99</p>			<p>where <i>Thaumetopoea processionea</i> L. is not known to occur, or (b) the plants have been grown throughout their life in an area free from <i>Thaumetopoea processionea</i> L. established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary Measures, or (c) the plants have been grown throughout their life in a site with complete physical protection against the introduction of <i>Thaumetopoea processionea</i> L. and have been inspected at appropriate times and found to be free from <i>Thaumetopoea processionea</i> L.</p>	
<p><i>Solanum tuberosum</i> L., tubers of</p> <p>CN-Codes 0701 10 00</p>	<p>(a) France (Brittany) (b) Finland (c) Ireland (d) Portugal (Azores) (e) United Kingdom (Northern Ireland)</p>	<p>Annex X 6. (a) or (b) or (c)</p>	<p>The tubers (a) were grown in an area where Beet necrotic yellow vein virus ("BNYVV") is known not to occur; or (b) were grown on land, or in growing media consisting of soil that is known to be free from BNYVV, or officially tested by appropriate methods and found free from BNYVV; or (c) have been washed free from soil.</p>	<p>BNYVV</p>